

Application of the Lake Okeechobee Regulation Schedule (LORS2008) on 9/20/2021 (ENSO Condition: La Nina watch)

Lake Okeechobee Net Inflow Outlook:

The Lake Okeechobee Net Inflow Outlook has been computed using 4 methods: Croley's method¹, the SFWMD empirical method², a sub-sampling of ENSO Neutral years³ and a sub-sampling of warm years of the Atlantic Multi-decadal Oscillation (AMO) in combination with ENSO Neutral years⁴. The results for Croley's method and the SFWMD empirical method are based on the CPC Outlook.

Table of the Lake Okeechobee Net Inflow Outlooks in feet of equivalent depth. All methods are updated on a weekly basis with observed net inflow for the current month.

Season	Croley's Method ^{1*}		SFWMD Empirical Method ²		Sub-sampling of La Nina Years ³		Sub-sampling of AMO Warm + La Nina Years ⁴	
	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>	Value (ft)	<u>Condition</u>
Current (Sep-Feb)	N/A	N/A	1.44	Normal	1.16	Normal	1.12	Normal
Multi Seasonal (Sep-Apr)	N/A	N/A	1.62	Normal	1.00	Dry	0.87	Dry

*Croley's Method Not Produced for This Report. See Seasonal and Multi-Seasonal tables for the classification of Lake Okeechobee Outlooks.

The recommended methods and values for estimating the Lake Okeechobee Net Inflow Outlook are shaded and should be used in the LORS2008 Release Guidance Flow Charts.

**Sub-sampling is a weighted average of ENSO conditions based on the ENSO forecast used.

Tributary Hydrologic Conditions Graph:

4924 cfs 14-day running average for Lake Okeechobee Net Inflow through 9/19/2021. According to the classification in Tributary Hydrologic Conditions table, this condition is **Wet**.

-2.24 for Palmer Drought Index on 9/18/2021. According to the classification in Tributary Hydrologic Conditions table, this condition is **Dry**.

The wetter of the two conditions above is **Wet**.

LORS2008 Classification Tables:

Lake Okeechobee Stage on 9/20/2021:

Lake Okeechobee Stage: **15.06 feet**

Lake Okeechobee Management Zone/Band		Bottom Elevation (feet, NGVD)	Current Lake Stage
High Lake Management Band		16.56	
Operational Band	High sub-band	16.19	
	Intermediate sub-band	15.79	
	Low sub-band	14.13	← 15.06 ft
Base Flow sub-band		12.84	
Beneficial Use sub-band		12.77	
Water Shortage Management Band			

Part C of LORS2008: Discharge to WCAs

No releases to WCAs.

Part D of LORS2008: Discharge to Tide

Up to 450 cfs at S-79 and up to 200 cfs at S-80.

LORS2008 Implementation on 9/20/2021 (ENSO Condition- La Nina Watch):


Status for week ending 9/20/2021:

Water Supply Risk Evaluation

Area	Indicator	Value	Color Coded Scoring Scheme
LOK	Projected LOK Stage for the next two months	Low Sub-band	L
	Palmer Drought Index for LOK Tributary Conditions	-2.24 (9/18/2021) (Extremely Dry)	H
	CPC Precipitation Outlook	1 month: Normal	L
		3 months: Below Normal	M
	LOK Seasonal Net Inflow Outlook	1.16 ft	L
	ENSO Forecast	Normal to Extremely Wet	L
	LOK Multi-Seasonal Net Inflow Outlook	1.00 ft	H
		Dry	
WCAs	WCA 1: 2 Station Average (Site 1-8T and 1-9)	Above Line 1 (17.20 ft)	L
	WCA 2A: Site 2-17	Above Line 1 (13.42 ft)	L
	WCA-3A: 3 Station Average (Site 63, 64 and 65)	Above Line 1 (10.19 ft)	L
LEC	Service Area 1	Year-Round Irrigation Rule in effect	L
	Service Area 2	Year-Round Irrigation Rule in effect	L
	Service Area 3	Year-Round Irrigation Rule in effect	L

Note: The water supply risk classification based on the Palmer index, as well as the LOK seasonal and multi-seasonal net inflow outlooks use slightly different classification intervals than those used by the 2008-LORS.


Lake Okeechobee SFWMM Sep 2021 Position Analysis




(See assumptions on the Position Analysis Results website)

Tributary Basin Condition Indicators as of September 20 2021

Palmer Index



Lake Okeechobee Net Inflow (LONIN) 14-day Running Average



2008 LORS

Part C: Establish Allowable Lake Okeechobee Releases to the Water Conservation Areas




Figure 7-3

2008 LORS

Part D: Establish Allowable Lake Okeechobee Releases to Tide (Estuaries)

Note: This operational guidance provides essential supplementary information to be used in conjunction with other supporting documentation including text within the Water Control Plan.

When conducting Base Flow releases, flows can be distributed East and West up to 650 cfs as needed to minimize impacts or provide benefits through S-80 and S-79

Apply Meteorological Forecasts on a Weekly Basis; apply Seasonal and Multi-Seasonal Climate/Hydrologic Outlooks on a Monthly Basis





Figure 7-4

* Very Dry Conditions may require that releases to tide (estuaries) be discontinued (NORMAL TO DRY)

Lake Okeechobee Water Level History and Projected Stages



is equal to -NR-
 Lake Okeechobee (Change in Storage) Flow is 2168 cfs or 4300 AC-FT

	Headwater Elevation (ft-msl)	Tailwater Elevation (ft-msl)	Disch (cfs)	----- Gate Positions -----							
				#1 (ft)	#2 (ft)	#3 (ft)	#4 (ft)	#5 (ft)	#6 (ft)	#7 (ft)	#8 (ft)
(I) see note at bottom											
North East Shore											
S133 Pumps:	13.30	14.95	58	0	61	0	0	0			(cfs)
S193:											
S191:	18.99	14.97	0	0.0	0.0	0.0					
S135 Pumps:	13.35	15.01	284	93	149	28	22				(cfs)
S135 Culverts:			0	0.0	0.0						
North West Shore											
S65E:	21.15	14.62	2020	1.3	0.6	0.6	1.3	1.2	0.6		
S65EX1:	21.15	14.62	0								
S127 Pumps:	13.30	14.97	38	0	25	12	0	0			(cfs)
S127 Culvert:			0	0.0							
S129 Pumps:	13.07	14.99	109	61	43	0					(cfs)
S129 Culvert:			0	0.0							
S131 Pumps:	13.15	15.05	95	37	55						(cfs)
S131 Culvert:			0								
Fisheating Creek											
nr Palmdale			-NR-								
nr Lakeport											
C5:		-NR-	0	-NR-	-NR-	-NR-					
South Shore											
S4 Pumps:	11.39	15.04	0	0	0	0					(cfs)
S169:		-NR-	-NR-	-NR-	-NR-	-NR-					
S310:			-NR-								
S3 Pumps:	10.13	14.98	0	0	0	0					(cfs)
S354:	14.98	10.13	0	0.0	0.0						
S2 Pumps:	10.66	-NR-	0	-NR-	-NR-	-NR-	-NR-				(cfs)
S351:	-NR-	10.66	0	0.0	0.0	0.0					
S352:	15.25	9.92	0	0.0	0.0						
C10A:	-NR-	15.08		8.0	8.0	8.0	0.0	0.0			
L8 Canal PT			-NR-								

S351 and S352 Temporary Pumps/S354 Spillway

S351:	10.66	-NR-	0	-NR-	-NR-	-NR-	-NR-	-NR-	-NR-		
S352:	9.92	15.25	0	-NR-	-NR-	-NR-	-NR-				
S354:	10.13	14.98	0	-NR-	-NR-	-NR-	-NR-				

Caloosahatchee River (S77, S78, S79)

S47B:	12.81	12.25		1.5	2.0						
S47D:	12.09	11.05	118	1.0							
S77:											
Spillway and Sector Preferred Flow:	14.91	10.97	0	0.0	0.0	0.0	0.0				
Flow Due to Lockages+:			5								

S78:

Spillway and Sector Flow:
 10.96 2.99 2452 1.5 2.5 2.5 1.5
 Flow Due to Lockages+: 11

S79:

Spillway and Sector Flow:
 2.99 1.31 5132 0.0 3.0 3.0 4.0 4.0 3.0 3.0 3.0
 Flow Due to Lockages+: 8
 Percent of flow from S77 0%
 Chloride (ppm) 0

St. Lucie Canal (S308, S80)

S308:

Spillway and Sector Preferred Flow:
 15.00 14.64 0 0.0 0.0 0.0 0.0
 Flow Due to Lockages+: 0

S153: 18.63 14.28 422 2.5 2.1

S80:

Spillway and Sector Flow:
 14.50 2.07 454 0.0 0.0 0.4 0.4 0.0 0.0 0.0
 Flow Due to Lockages+: 10
 Percent of flow from S308 0%

Steele Point Top Salinity (mg/ml) -N
 Steele Point Bottom Salinity (mg/ml) -N

Speedy Point Top Salinity (mg/ml) -N
 Speedy Point Bottom Salinity (mg/ml) -N

+ Flow Due to lockages is computed utilizing average daily headwater and tailwater along with total number of lockages for the day to calculate a volume which is then converted to an average discharge in cfs.

++ Preferred flow is determined from either the spillway discharge or the below flow meter daily

Daily Precipitation Totals	1-Day (inches)	3-Day (inches)	7-Day (inches)	----- Wind -----	
				Direction (Deg)	Speed (mph)
S133 Pump Station:	-NR-	0.00	0.00		
S193:	-NR-	0.00	0.00	-NR-	-NR-
Okeechobee Field Station:	-NR-	0.00	0.00		
S135 Pump Station:	-NR-	0.00	0.00		
S127 Pump Station:	-NR-	0.00	0.00		
S129 Pump Station:	-NR-	0.00	0.00		
S131 Pump Station:	-NR-	0.00	0.00		
S77:	0.02	0.09	1.42	314	2
S78:	0.03	0.07	1.67	51	1
S79:	0.04	0.04	2.60	87	1
S4 Pump Station:	-NR-	0.00	0.00		
Clewiston Field Station:	-NR-	0.00	0.00		
S3 Pump Station:	-NR-	0.00	0.00		
S2 Pump Station:	-NR-	0.00	0.00		
S308:	0.91	4.19	4.45	151	3
S80:	0.00	0.56	0.75	119	2
Okeechobee Average (Sites S78, S79 and S80 not included)	0.47	0.33	0.45		

Oke Nexrad Basin Avg	-NR-	0.00	0.00		

Okeechobee Lake Elevations 19 SEP 2021 15.06 Difference from 19SEP21
 19SEP21 -1 Day = 18 SEP 2021 15.05 -0.01

19SEP21	-2 Days =	17 SEP 2021	14.99	-0.07
19SEP21	-3 Days =	16 SEP 2021	14.95	-0.11
19SEP21	-4 Days =	15 SEP 2021	14.92	-0.14
19SEP21	-5 Days =	14 SEP 2021	14.91	-0.15
19SEP21	-6 Days =	13 SEP 2021	14.87	-0.19
19SEP21	-7 Days =	12 SEP 2021	14.86	-0.20
19SEP21	-30 Days =	20 AUG 2021	14.44	-0.62
19SEP21	-1 Year =	19 SEP 2020	15.17	0.11
19SEP21	-2 Year =	19 SEP 2019	13.81	-1.25

Long Term Mean 30day Avearge ET for Lake Alfred (Inches) = -NR-

Lake Okeechobee Net Inflow (LONIN)

Average Flow over the previous 14 days				Avg-Daily Flow
19SEP21	Today =	19 SEP 2021	5049 MON	2168
19SEP21	-1 Day =	18 SEP 2021	5499 SUN	12957
19SEP21	-2 Days =	17 SEP 2021	4422 SAT	8470
19SEP21	-3 Days =	16 SEP 2021	3817 FRI	6353
19SEP21	-4 Days =	15 SEP 2021	3515 THU	2118
19SEP21	-5 Days =	14 SEP 2021	3364 WED	8621
19SEP21	-6 Days =	13 SEP 2021	3050 TUE	2168
19SEP21	-7 Days =	12 SEP 2021	3047 MON	2168
19SEP21	-8 Days =	11 SEP 2021	3043 SUN	6504
19SEP21	-9 Days =	10 SEP 2021	3184 SAT	2168
19SEP21	-10 Days =	09 SEP 2021	3634 FRI	12755
19SEP21	-11 Days =	08 SEP 2021	4246 THU	4235
19SEP21	-12 Days =	07 SEP 2021	3636 WED	2118
19SEP21	-13 Days =	06 SEP 2021	3813 TUE	-2118

S65E

Average Flow over previous 14 days				Avg-Daily Flow
19SEP21	Today=	19 SEP 2021	1863 MON	2209
19SEP21	-1 Day =	18 SEP 2021	1840 SUN	1924
19SEP21	-2 Days =	17 SEP 2021	1835 SAT	2202
19SEP21	-3 Days =	16 SEP 2021	1820 FRI	1744
19SEP21	-4 Days =	15 SEP 2021	1840 THU	1764
19SEP21	-5 Days =	14 SEP 2021	1862 WED	1778
19SEP21	-6 Days =	13 SEP 2021	1889 TUE	1769
19SEP21	-7 Days =	12 SEP 2021	1922 MON	1774
19SEP21	-8 Days =	11 SEP 2021	1959 SUN	1825
19SEP21	-9 Days =	10 SEP 2021	1992 SAT	1796
19SEP21	-10 Days =	09 SEP 2021	2029 FRI	1784
19SEP21	-11 Days =	08 SEP 2021	2065 THU	1799
19SEP21	-12 Days =	07 SEP 2021	2100 WED	1857
19SEP21	-13 Days =	06 SEP 2021	2132 TUE	1862

S65EX1

Average Flow over previous 14 days				Avg-Daily Flow
19SEP21	Today=	19 SEP 2021	1 MON	0
19SEP21	-1 Day =	18 SEP 2021	1 SUN	0
19SEP21	-2 Days =	17 SEP 2021	1 SAT	0
19SEP21	-3 Days =	16 SEP 2021	1 FRI	17
19SEP21	-4 Days =	15 SEP 2021	0 THU	0
19SEP21	-5 Days =	14 SEP 2021	0 WED	0
19SEP21	-6 Days =	13 SEP 2021	0 TUE	0
19SEP21	-7 Days =	12 SEP 2021	0 MON	0
19SEP21	-8 Days =	11 SEP 2021	0 SUN	0
19SEP21	-9 Days =	10 SEP 2021	0 SAT	0
19SEP21	-10 Days =	09 SEP 2021	0 FRI	0
19SEP21	-11 Days =	08 SEP 2021	0 THU	0
19SEP21	-12 Days =	07 SEP 2021	0 WED	0
19SEP21	-13 Days =	06 SEP 2021	0 TUE	0

Lake Okeechobee Outlets Last 14 Days

DATE	S-77	Below S-77	S-78	S-79
	Discharge	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL-DAY)	(ALL DAY)	(ALL DAY)
	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
19 SEP 2021	11	-NR-	4910	10262
18 SEP 2021	6	-NR-	4655	8768
17 SEP 2021	6	-NR-	5636	11588
16 SEP 2021	1	332	4656	9207
15 SEP 2021	3	480	2242	7336
14 SEP 2021	6	614	2237	4876
13 SEP 2021	7	632	2287	4455
12 SEP 2021	4	858	2306	5450
11 SEP 2021	10	745	2061	4580
10 SEP 2021	5	737	1653	5205
09 SEP 2021	9	505	1407	5066
08 SEP 2021	2	407	1077	3312
07 SEP 2021	4	38	946	3109
06 SEP 2021	12	171	945	3804

DATE	S-310	S-351	S-352	S-354	L8 Canal Pt
	Discharge	Discharge	Discharge	Discharge	Discharge
	(ALL DAY)				
	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)	(AC-FT)
19 SEP 2021	-NR-	0	0	0	-NR-
18 SEP 2021	-NR-	0	0	0	-NR-
17 SEP 2021	-NR-	0	0	0	-NR-
16 SEP 2021	-124	0	0	0	-NR-
15 SEP 2021	-141	0	0	0	-NR-
14 SEP 2021	-158	0	0	0	-NR-
13 SEP 2021	-59	0	0	0	-NR-
12 SEP 2021	-55	0	0	0	-NR-
11 SEP 2021	-34	0	0	0	-NR-
10 SEP 2021	-116	0	0	0	-NR-
09 SEP 2021	-17	0	0	0	-NR-
08 SEP 2021	-74	0	0	0	-NR-
07 SEP 2021	-23	0	0	0	-NR-
06 SEP 2021	-13	0	0	0	-NR-

DATE	S-308	Below S-308	S-80
	Discharge	Discharge	Discharge
	(ALL DAY)	(ALL-DAY)	(ALL-DAY)
	(AC-FT)	(AC-FT)	(AC-FT)
19 SEP 2021	1	-NR-	935
18 SEP 2021	0	-NR-	774
17 SEP 2021	1	-NR-	739
16 SEP 2021	1	-316	619
15 SEP 2021	0	-267	597
14 SEP 2021	1	-175	480
13 SEP 2021	2	-144	760
12 SEP 2021	0	136	1140
11 SEP 2021	0	292	626
10 SEP 2021	1	75	408
09 SEP 2021	1	-267	400
08 SEP 2021	0	-119	480
07 SEP 2021	0	7	472
06 SEP 2021	1	77	404

*** NOTE: Discharge (ALL DAY) is computed using Spillway, Sector Gate and Lockages Discharges from 0015 hrs to 2400 hrs.

(I) - Flows preceded by "I" signify an instantaneous flow computed from the single value reported for the day

* On 11 May 1999, Lake Okeechobee Elevation was switched from Instantaneous 2400 value to an average-daily lake average.
On 14 Mar 2001, due to the isolation of various gages within the standard 10 stations, the average of the interior 4 station gages was used as the Lake Okeechobee Elevation.
On 05 November 2010, Lake Okeechobee Elevation was switched to a 9 gage mix of interior and edge gages to obtain a more reliable representation of the lake level.
On 09 May 2011, Lake Okeechobee Elevation was switched to a 8 gage mix of interior and edge gages to obtain a more reliable representation of the lake level due to isolation of S135 from low lake levels.
Today Lake Okeechobee elevation is determined from the 4 Int & 4 Edge stations


++ For more information see the Jacksonville District Navigation website at <http://www.saj.usace.army.mil/>

\$ For information regarding Lake Okeechobee Service Area water restrictions please refer to www.sfwmd.gov

Report Generated 20SEP2021 @ 08:45 ** Preliminary Data - Subject to Revision **

Lake Okeechobee

21SEP21 07:46:16



- High Lake Management
- Okeechobee Avg Elev
- Average Elev [1965-2007]
- Water Shortage Management

Classification Tables

Supplemental Tables used in conjunction with the LORS2008 Release

Guidance Flow Charts

- [Class Limits for Tributary Hydrologic Conditions](#)

Table K-2 in the Lake Okeechobee Water Control Plan

- [6-15 Day Precipitation Outlook Categories](#)

Table ?? in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Seasonal Outlook](#)

Table K-3 in the Lake Okeechobee Water Control Plan

- [Classification of Lake Okeechobee Net Inflow for Multi-Seasonal Outlook](#)

Table K-4 in the Lake Okeechobee Water Control Plan

[Back to Lake Okeechobee Operations Main Page](#)

[Back to U.S. Army Corps of Engineers Lake Okeechobee Operations Homepage](#)

Tributary Hydrologic Classification*	Palmer Index Class Limits	2-wk Mean L.O. Net Inflow Class Limits
Very Wet	3.0 or greater	Greater \geq 6000 cfs
Wet	1.5 to 2.99	2500 - 5999 cfs
Near Normal	-1.49 to 1.49	500 - 2499 cfs
Dry	-2.99 to -1.5	-5000 – 500 cfs
Very Dry	-3.0 or less	Less than -5000 cfs

* use the wettest of the two indicators

Classification of Lake Okeechobee Net Inflow Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Seasonal Outlook
> 0.93	> 2.0	Very Wet
0.71 to 0.93	1.51 to 2.0	Wet
0.35 to 0.70	0.75 to 1.5	Normal
< 0.35	< 0.75	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

Classification of Lake Okeechobee Net Inflow Multi-Seasonal Outlook*

Lake Net Inflow Prediction [million acre-feet]	Equivalent Depth** [feet]	Lake Okeechobee Net Inflow Multi-Seasonal Outlook
> 2.0	> 4.3	Very Wet
1.18 to 2.0	2.51 to 4.3	Wet
0.5 to 1.17	1.1 to 2.5	Normal
< 0.5	< 1.1	Dry

****Volume-depth conversion based on average lake surface area of 467,000 acres**

6-15 Day Precipitation Outlook Categories*

6-15 Day Precipitation Outlook Categories	WSE Decision Tree Categories
Above Normal	Wet to Very Wet
Normal	Normal
Below Normal	Dry

* Corresponds to Table 7-6 in the Lake Okeechobee Water Control Plan

Under Construction